

S/N	Model	Picture	Mono crysta Iline Solar Panel	2835 SMD LED CHIPS	Rechargeable Battery	High Luminous Flux	Features		
1	UN- SG07A- D-31- PIR		3W	31pcs*0. 2w white LED	3pcs*3600mAh NiMH batteries	Up to 200 Im	1. Automatically turn on at dusk and off dawn. 2.with pyroelectric infrared sensor. 3. 6-8hrs daily in normal brightness ,continuous to work 2-3 days in rainy condition 4. Aluminium alloy body 5. Glass lampshade		
2	UN- SG07A- H1-31		3W	31pcs*0. 2w white LED	3pcs*2800mAh super low self- discharge Ni- MH battery	Up to 200 Im	1. Automatically turn on at dusk and off dawn. 2. Four brightness setting options 3. Lighting time: 4H/ 8H/ 12H / 20H 4. Height: 125cm 5. Aluminium alloy body 6. Glass lampshade		

S/N	Model	Picture	Mono crysta Iline Solar Panel	/ / / / / / / / / / / / / / / / / / / /	Rechargeable Battery	High Luminous Flux	Features		
3	UN- SG07A- H1-31- PIR		3W	31pcs*0. 2w white LED	3pcs*3600mAh super low self- discharge Ni- MH battery	180~220 Im	 Automatically turn on at dusk and off dawn. With pyroelectric infrared sensor. 6-8hrs daily in normal brightness ,continuous to work 2-3 days in rainy condition Height: 125cm Aluminium alloy body Glass lampshade 		
4	UN- SG07A- H2-31		3W	31pcs*0. 2w white LED	3pcs*2800mAh super low self- discharge Ni- MH battery	Up to 200 Im	1. Automatically turn on at dusk and off dawn. 2. Four brightness setting options 3. Lighting time: 4H/ 8H/ 12H / 20H 4. Height: 175cm 5. Aluminium alloy body 6. Glass lampshade		

S/N	Model	Picture	Mono crysta Iline Solar Panel	2835 SMD LED CHIPS	Rechargeable Battery	High Luminous Flux	Features		
5	UN- SG07A- H2-31- PIR		3W	31pcs*0. 2w white LED	3pcs*3600mAh super low self- discharge Ni- MH battery	180~220 Im	1.with pyroelectric infrared sensor. 2. 6-8hrs daily in normal brightness ,continuous to work 2-3 days in rainy condition 3. height: 175cm 4. aluminium alloy body 5. glass lampshade 6. Automatically turn on at dusk and off dawn.		
6	UN- SG07A- H3-31		3W	31pcs*0. 2w white LED	3pcs*2800mAh super low self- discharge Ni- MH battery	Up to 200 Im	1. Automatically turn on at dusk and off dawn. 2. Four brightness setting options 3. Lighting time: 4H/ 8H/ 12H / 20H 4. Height: 225cm 5. Aluminium alloy body 6. Glass lampshade		

S/N	Model	Picture	Mono crysta Iline Solar Panel	2835 SMD LED CHIPS	Rechargeable Battery	High Luminous Flux	Features		
7	UN- SG07A- H3-31- PIR		3W	31pcs*0. 2w white LED	3pcs*3600mAh super low self- discharge Ni- MH battery	180~220 Im	1.with pyroelectric infrared sensor. 2. 6-8hrs daily in normal brightness ,continuous to work 2-3 days in rainy condition 3. height: 225cm 4. aluminium alloy body 5. glass lampshade 6. Automatically turn on at dusk and off dawn.		
8	UN- SG08A- 4-D-31		4W	31pcs*0. 2w white LED	3pcs*4000mAh super low self- discharge Ni- MH battery	Up to 200 Im	1. Automatically turn on at dusk and off dawn. 2. Four brightness setting options 3. Lighting time: 5H/ 8H/ 12H / 20H 4. Aluminium alloy body 5. Glass lampshade		

S/N	Model	Picture	Mono crysta Iline Solar Panel	LED CHIPS	Rechargeable Battery	High Luminous Flux	Features		
9	UN- SG08A- 4-D-31- PIR		4W	31pcs*0. 2w white LED	3pcs*4500mAh NiMH batteries	Up to 200 Im	1. Automatically turn on at dusk and off dawn. 2.with pyroelectric infrared sensor. 3. 6-8hrs daily in normal brightness ,continuous to work 2-3 days in rainy condition 4. Aluminium alloy body 5. Glass lampshade		
10	UN- SG08A- 4-H1-31		4W	31pcs*0. 2w white LED	3pcs*4000mAh super low self- discharge Ni- MH battery	Up to 200 Im	1. Automatically turn on at dusk and off dawn. 2. Four brightness setting options 3. Lighting time: 5H/ 8H/ 12H / 20H 4. Height: 122cm 5. Aluminium alloy body 6. Glass lampshade		

S/N	Model	Picture	Mono crysta Iline Solar Panel	40.55	Rechargeable Battery	High Luminous Flux	Features		
11	UN- SG08A- 4W-H1- 31-PIR		4W	31pcs*0. 2w white LED	3pcs*4500mAh super low self- discharge Ni- MH battery	180~220 Im	1. Automatically turn on at dusk and off dawn. 2.with pyroelectric infrared sensor. 3. 6-8hrs daily in normal brightness ,continuous to work 2-3 days in rainy condition 4. height: 122cm 5. aluminium alloy body 6. glass lampshade		
12	UN- SG08A- 4W-H2- 31		4W	31pcs*0. 2w white LED	3pcs*4000mAh super low self- discharge Ni- MH battery	Up to 200 Im	1. Automatically turn on at dusk and off dawn. 2. Four brightness setting options 3. Lighting time: 5H/ 8H/ 12H / 20H 4. Height: 172cm 5. Aluminium alloy body 6. Glass lampshade		

S/N	Model	Picture	Mono crysta Iline Solar Panel	2835 SMD LED CHIPS	Rechargeable Battery	High Luminous Flux	Features		
13	UN- SG08A- 4W-H2- 31-PIR		4W	31pcs*0. 2w white LED	3pcs*4500mAh super low self- discharge Ni- MH battery	180~220 lm	1.with pyroelectric infrared sensor. 2. 6-8hrs daily in normal brightness ,continuous to work 3-4 days in rainy condition 3. height: 172cm 4. aluminium alloy body 5. glass lampshade 6. Automatically turn on at dusk and off dawn.		
14	UN- SG08A- 4W-H3- 31		4W	31pcs*0. 2w white LED	3pcs*4000mAh super low self- discharge Ni- MH battery	Up to 200 Im	1. Automatically turn on at dusk and off dawn. 2. Four brightness setting options 3. Lighting time: 5H/ 8H/ 12H / 20H 4. Height: 222cm 5. Aluminium alloy body 6. Glass lampshade		

S/N	Model	Picture	Mono crysta Iline Solar Panel	20.00	Rechargeable Battery	High Luminous Flux	Features		
15	UN- SG08A- 4W-H3- 31-PIR		4W	31pcs*0. 2w white LED	3pcs*4500mAh super low self- discharge Ni- MH battery	180~220 lm	1.with pyroelectric infrared sensor. 2. 6-8hrs daily in normal brightness ,continuous to work 3-4 days in rainy condition 3. height: 222cm 4. aluminium alloy body 5. glass lampshade 6. Automatically turn on at dusk and off dawn.		
16	UN- SG09A- W-22		2.4W	22pcs*0.2w white LED	3pcs*3600mAh super low self- discharge Ni-MH battery	Up to 130 lm	1. Automatically turn on at dusk and off dawn. 2. Four brightness setting options 3. Lighting time: 4H/ 8H/ 12H / 20H 4. Aluminium alloy body 5. Glass lampshade		

S/N	Model	Picture	Mono crysta Iline Solar Panel	2835 SMD LED CHIPS	Rechargeable Battery	High Luminous Flux	Features		
17	UN- SG09A- D-22		2.4W	ı ı – ı)	3pcs*3600mAh super low self- discharge Ni- MH battery	Up to 130 Im	1. Automatically turn on at dusk and off dawn. 2. Four brightness setting options 3. Lighting time: 4H/ 8H/ 12H / 20H 4. Aluminium alloy body 5. Glass lampshade		
18	UN- SG09A- H-22		2.4W	22pcs*0. 2w white LED	3pcs*3600mAh super low self- discharge Ni- MH battery	Up to 130 Im	1. Automatically turn on at dusk and off dawn. 2. Four brightness setting options 3. Lighting time: 4H/ 8H/ 12H / 20H 4. Aluminium alloy body 5. Glass lampshade 6. Height 102cm		
19	UN- SG09A- H1-22		2.4W	22pcs*0. 2w white LED	3pcs*3600mAh super low self- discharge Ni- MH battery	Up to 130 Im	1. Automatically turn on at dusk and off dawn. 2. Four brightness setting options 3. Lighting time: 4H/ 8H/ 12H / 20H 4. Aluminium alloy body 5. Glass lampshade 6. Height 137cm		

S/N	Model	Picture	Mono crysta Iline Solar Panel	SMD LED CHIPS	Rechargeable Battery	High Luminous Flux	Features		
20	UN- SG09A- H2-22		2.4W	22pcs*0. 2w white LED	3pcs*3600mAh super low self- discharge Ni- MH battery	Up to 130 Im	1. Automatically turn on at dusk and off dawn. 2. Four brightness setting options 3. Lighting time: 4H/ 8H/ 12H / 20H 4. Aluminium alloy body 5. Glass lampshade 6. Height 187cm		
21	UN- SG12A- D-19- PIR		2.4W	19pcs*0. 2w white LED	3pcs*2000mAh NiMH batteries	•	1. Automatically turn on at dusk and off dawn. 2.with pyroelectric infrared sensor. 3. 6-8hrs daily in normal brightness ,continuous to work 2-3 days in rainy condition 4. Aluminium alloy body 5. Glass lampshade		

S/N	Model	Picture	Mono crysta Iline Solar Panel	2835 SMD LED CHIPS	Rechargeable Battery	High Luminous Flux	Features		
22	UN- SG12A- H1-19- PIR		2.4W	I FD	3pcs*2000mAh super low self- discharge Ni- MH battery	Up to 130 Im	1. Automatically turn on at dusk and off dawn. 2.with pyroelectric infrared sensor. 3. 6-8hrs daily in normal brightness ,continuous to work 2-3 days in rainy condition 4. height: 137cm 5. aluminium alloy body 6. glass lampshade		
23	UN- SG12A- H2-19- PIR		2.4W	2w white	3pcs*2000mAh super low self- discharge Ni- MH battery	Up to 130 Im	1.with pyroelectric infrared sensor. 2. 6-8hrs daily in normal brightness ,continuous to work 2-3 days in rainy condition 3. height: 187cm 4. aluminium alloy body 5. glass lampshade 6. Automatically turn on at dusk and off dawn.		

S/N	Model	Picture	Mono crysta Iline Solar Panel	LED	Rechargeable Battery	High Luminous Flux			
24	UN- SG12A- H3-19- PIR		2.4W	2w white	3pcs*2000mAh super low self- discharge Ni- MH battery	Up to 130 Im	sensor. 2. 6-8hrs daily in normal brightness ,continuous to work 2-3 days in rainy condition 3. height: 237cm 4. aluminium alloy body 5. glass lampshade 6. Automatically turn on at dusk and off dawn		
25	UN- SG12A- H1-22			22pcs*0. 2w white LED	3pcs*3600mAh super low self- discharge Ni- MH battery	Up to 130 Im	1. Automatically turn on at dusk and off dawn. 2. Four brightness setting options 3. Lighting time: 4H/ 8H/ 12H / 20H 4. Aluminium alloy body 5. Glass lampshade 6. Height 137cm		

S/N	Model	Picture	Mono crysta Iline Solar Panel	SMD LED CHIPS	Rechargeable Battery	High Luminous Flux	Features		
26	UN- SG12A- H2-22		2.4W	22pcs 0. 2w white	3pcs*3600mAh super low self- discharge Ni- MH battery	Up to 130 Im	1. Automatically turn on at dusk and off dawn. 2. Four brightness setting options 3. Lighting time: 4H/ 8H/ 12H / 20H 4. Aluminium alloy body 5. Glass lampshade 6. Height 187cm		
27	UN- SG12A- H3-22			2w white	3pcs*3600mAh super low self- discharge Ni- MH battery	Up to 130 Im	1. Automatically turn on at dusk and off dawn. 2. Four brightness setting options 3. Lighting time: 4H/8H/12H / 20H 4. Aluminium alloy body 5. Glass lampshade 6. Height 237cm		

S/N	Model	Picture	Mono crysta Iline Solar Panel	2835 SMD LED CHIPS	Rechargeable Battery	High Luminous Flux	Features		
28	UN- SG18A- 4-W-31- PIR		4W	31pcs*0. 2w white LED	3pcs*4500mAh NiMH batteries	Up to 200 Im	1. Automatically turn on at dusk and off dawn. 2.with pyroelectric infrared sensor. 3. 6-8hrs daily in normal brightness ,continuous to work 2-3 days in rainy condition 4. Aluminium alloy body 5. Glass lampshade		
29	UN- SG18A- 4-D-31- PIR		4W	31pcs*0. 2w white LED	3pcs*4500mAh NiMH batteries	Up to 200 Im	1. Automatically turn on at dusk and off dawn. 2.with pyroelectric infrared sensor. 3. 6-8hrs daily in normal brightness ,continuous to work 2-3 days in rainy condition 4. Aluminium alloy body 5. Glass lampshade		

S/N	Model	Picture	Mono crysta Iline Solar Panel	2835 SMD LED CHIPS	Rechargeable Battery	High Luminous Flux	Features		
30	UN- SG18A- 4W-H1- 31		4W	31pcs*0. 2w white LED	3pcs*4000mAh super low self- discharge Ni- MH battery	Up to 200 Im	1. Automatically turn on at dusk and off dawn. 2. Four brightness setting options 3. Lighting time: 5H/ 8H/ 12H / 20H 4. Height: 122cm 5. Aluminium alloy body 6. Glass lampshade		
31	UN- SG18A- 4W-H1- 31-PIR		4W	31pcs*0. 2w white LED	3pcs*4500mAh super low self- discharge Ni- MH battery	180~220	1. Automatically turn on at dusk and off dawn. 2.with pyroelectric infrared sensor. 3. 6-8hrs daily in normal brightness ,continuous to work 2-3 days in rainy condition 4. height: 122cm 5. aluminium alloy body 6. glass lampshade		

S/N	Model	Picture	Mono crysta Iline Solar Panel	2835 SMD LED CHIPS	Rechargeable Battery	High Luminous Flux	Features		
32	UN- SG18A- 4W-H2- 31		4W	31pcs*0. 2w white LED	3pcs*4000mAh super low self- discharge Ni- MH battery	Up to 200 Im	1. Automatically turn on at dusk and off dawn. 2. Four brightness setting options 3. Lighting time: 5H/ 8H/ 12H / 20H 4. Height: 172cm 5. Aluminium alloy body 6. Glass lampshade		
33	UN- SG18A- 4W-H2- 31-PIR		4W	31pcs*0. 2w white LED	3pcs*4500mAh super low self- discharge Ni- MH battery	180~220 Im	1.with pyroelectric infrared sensor. 2. 6-8hrs daily in normal brightness ,continuous to work 2-3 days in rainy condition 3. height: 172cm 4. aluminium alloy body 5. glass lampshade 6. Automatically turn on at dusk and off dawn.		

S/N	Model	Picture	Mono crysta Iline Solar Panel	78.35	Rechargeable Battery	High Luminous Flux	Features		
34	UN- SG18A- 4W-H3- 31		4W	31pcs*0. 2w white LED	3pcs*4000mAh super low self- discharge Ni- MH battery	Up to 200 Im	1. Automatically turn on at dusk and off dawn. 2. Four brightness setting options 3. Lighting time: 5H/ 8H/ 12H / 20H 4. Height: 222cm 5. Aluminium alloy body 6. Glass lampshade		
35	UN- SG18A- 4W-H3- 31-PIR		4W	31pcs*0. 2w white LED	3pcs*4500mAh super low self- discharge Ni- MH battery	180~220 lm	1.with pyroelectric infrared sensor. 2. 6-8hrs daily in normal brightness ,continuous to work 2-3 days in rainy condition 3. height: 222cm 4. aluminium alloy body 5. glass lampshade 6. Automatically turn on at dusk and off dawn.		

S/N	Model	Picture	Mono crysta Iline Solar Panel	2835 SMD LED CHIPS	Rechargeable Battery	High Luminous Flux	Features		
36	UN- SG26A- GS-13- PIR		0.9W	13pcs*0. 2w white LED	3pcs*800mAh super low self- discharge Ni- MH battery	70~90 lm	1.Automatically turn on at dusk and off at dawn. 2.With pyroelectric infrared sensor. 3.Lighting Period: 6-8hrs 4.Stainless steel body(201 material) 5.45CM 6.G1 hight:78CM		
37	UN- SG26B- GS-13- PIR		0.4W	13pcs*0. 2w white LED	3pcs*400mAh super low self- discharge Ni- MH battery	70~90 lm	1.Automatically turn on at dusk and off at dawn. 2.With pyroelectric infrared sensor. 3.Lighting Period: 6-8hrs 4.Acrylonitrile-butadienestyrene (ABS) material		
38	UN- SG131A -W-PIR	Solar Panel	1W	12pcs 0.2w white LED	2pcs*500mAh LiFePo4 3.2V battery		1.PIR sensor function 2.3-4hours constant lighting 3.Brightness: 200Lumen 4.Acrylonitrile-butadiene- styrene (ABS) material 5.DIM:L16.5CM,W13.5CM, H18.5CM		

S/N	Model	Picture	Mono crysta Iline Solar Panel	SMD LED	Rechargeable Battery	High Luminous Flux	Features		
39	UN- SG92A- W-6W- PIR	Solar Panel	1W	6pcs high power 0.2w white LED	1pcs*1000mAh super low self- discharge LiFePO4 battery	100 lm	1.PIR sensor function 2.6-8 hours constant lighting 3.Brightness: 100Lumen 4.Acrylonitrile-butadiene- styrene (ABS) material		

Remarks:

1. Payment term: 30% with order, 70% before loading

2.Lead Time: 40-45 days upon payment3. Warranty Time: 1 years after B/L date.

4. All are under CE/RoHS